






LAJVAR

در خدمت ترقی کشور

LAJVAR Industrial Co.

Manufactirer of Hydraulic Aerial Platforms & truck Mounted Cranes



Platform Model TIL 1700

www.lajvar.ir

info@lajvar.ir

Add:

7 th Km. of Tehran Road. ARAK - IRAN

P.O.BOX: 38135/659

Tel: +98 86 3413 1111

Fax: +98 86 3413 1110


Technical specifications are subject to change without prior notice.



LAJVAR

در خدمت ترقی کشور

Transport Dimensions



LAJVAR

Truck-Mounted Insulated Telescopic Aerial Work Platform TIL 1700

Technical Specifications

➤ Max. Working Height	17 m	➤ Power Supply	P.T.O
➤ Max. Platform Height	15 m	➤ Slewing Angel	360°
➤ Max. Working Outreach	12/3 m	➤ Number of Stabilizers	4
➤ Basket Capacity (including operator,equipment and hook load)	450 Kg	➤ Control Stations	Control panels beside the chassis and inside the basket
➤ Winch Capacity	490 Kg	➤ Type of Basket	Fiberglass F.R.P
➤ Basket Dimensions	109*70*93 (L*W*H) cm	➤ Min. Installation	8 t. G.V.W
➤ Basket Capacity	2*100 Kg	➤ Min. Insulation voltage	46 KV AC
➤ Liner	Polyethylene	➤ Telescopic Boom	1 metallic boom & 2 fibreglasses boom

➤ Accessories

- 1.Rotating light
- 2.Safety belt
- 3.Remote radio control
- 4.Jib crane including insulated rope and pulley
- 5.Auxillary for simultaneous increasing three phases
- 6.Hydraulic winch
- 7.Tool box mounted on both sides of the subframe
- 8.Supporting plates for stabilizers




LAJVAR


در خدمت ترقی کشور

Working Diagram


Outrigger extension MIN
2.1(m)



Outrigger extension MID
2.8(m)



Outrigger extension MAX
3.5(m)



LAJVAR