




Geng He Tools

to be the most reliable supplier



GENGHE.

Tools with a heritage of quality!

Geng He™ industrial manufactures Non-sparking tools, Stainless steel tools, Titanium tools, special tools and so on quality steel hand tools, trusted by customers ranging from domestic and overseas. For 40 years, we've created safety tools that increase productivity, day in, day out, delivering repeatable quality results.

At Geng He industrial, we build our R&D center to handle maximum capacities with ease, the products of our company from the technical strength to the brand effect has reached the industry advanced level. All our products have passed ISO9001, ISO14001, OHSAS18001 and UKAS Certificate, and all of which are produced in strict accordance with State Standard and have met with various technical norms through irregular random sampling inspection by the State Hardware Inspection Departments.



Geng he tool's facility in

Zhengzhou ,China



What sets GengHe Industrial apart from other brands?

☆ **Initiative spirit**

Our R&D team won the national standards GB/T23163-2008 and GB24459-2009 which means that the products of our company from the technical strength to the brand effect has reached the industry advanced level.

☆ **Quality parts and materials**

We use only the best materials, like Bao Gang ®and Shou Gang® Group inverters, to produce tools that you can depend on.

☆ **Knowledgeable service team**

Geng He support representatives all have years of hands-on experience working with our products—figuring out solutions for applications like yours. When you call us, you'll talk to real technical specialists, not sales reps reading answers from a script!

Safety is not a slogan, believe us must be your the most reliable supplier.



Contents

•Stainless Steel Tools

Wrenches

P1~16

Wrenches



Pliers

P 25~28

Pliers



Hammers

P17~21

Hammers



Sockets

P 29~32

Sockets



Screwdrivers

P 22~24

Screwdrivers



Tool Sets

P 33~36

Tool Sets




Adjustable Hook Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH21001

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	D	L	W
	mm	mm	g
5020-001	19-50	162	115
5020-002	32-75	205	240
5020-003	50-120	288	850
5020-004	115-170	310	1000


Adjustable Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH21002

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	K	L	W
	mm	mm	g
5019-18	18	150	120
5019-24	24	200	245
5019-30	30	250	390
5019-36	36	300	645
5019-46	46	375	1175
5019-55	55	450	1865
5019-65	65	600	3325

Combination Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

***GH21003***

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	mm	mm	g
5015-7	7	110	20
5015-8	8	110	20
5015-9	9	130	35
5015-10	10	145	40
5015-11	11	150	52
5015-12	12	160	60
5015-13	13	175	75

Wrenches/Stainless Steel Tools

5015-14	14	185	82
5015-15	15	195	108
5015-16	16	205	115
5015-17	17	215	135
5015-18	18	270	260
5015-19	19	235	187
5015-20	20	240	200
5015-21	21	250	217
5015-22	22	265	245
5015-23	23	220	240
5015-24	24	285	302
5015-25	25	295	372
5015-26	26	315	407
5015-27	27	335	425
5015-30	30	345	538
5015-32	32	405	740

Double Open End Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH21004

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM

Number	S1*S2	L	W
	mm	mm	g
5010-1	5.5*7	94	45
5010-2	6*7	94	45
5010-3	9*11	135	60
5010-4	8*10	122	50
5010-5	10*12	135	60
5010-6	12*14	150	85
5010-7	14*17	165	120
5010-8	16*18	170	120
5010-9	17*19	185	150
5010-10	19*22	200	190
5010-11	22*24	230	265
5010-12	24*27	250	335
5010-13	27*30	275	485
5010-14	30*32	285	650
5010-15	32*34	290	965
5010-16	32*36	290	1015
5010-17	34*36	300	1350


Hex Key Wrench with Ball

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH21005

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	H	W
	mm	mm	mm	g
5035-2	2	50	16	2
5035-3	3	63	20	5
5035-4	4	70	25	10
5035-5	5	80	28	20
5035-6	6	90	32	30
5035-7	7	95	34	45
5035-8	8	100	36	60
5035-9	9	106	38	80
5035-10	10	112	40	105
5035-11	11	118	42	135
5035-12	12	125	45	170


T-type Hex Key Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH21006

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	S	L	H	W
	mm	mm	mm	g
5034-2	2	90	100	45
5034-3	3	90	100	45
5034-4	4	90	100	65
5034-5	5	90	100	70
5034-6	6	90	100	85
5034-8	8	90	100	90
5034-10	10	90	100	120

Pipe Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21007*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	L	Kmax	W
	mm	mm	g
5043-200	200	25	420
5043-250	250	30	735
5043-300	300	40	1050
5043-350	350	50	1315
5043-450	450	60	2255
5043-600	600	75	3465
5043-900	900	85	6000
5043-1200	1200	110	12600

Ratchet Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21008*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	inch	mm	g
5039-001	1/2	240	600
5039-002	3/4	320	1510
5039-003	1	550	3300

Ratchet Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21009*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	S	L	W
	mm	mm	g
5040-27	27	630	3600

Straight Shank Ring Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21010*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	mm	mm	g
5002-17	17	150	130
5002-19	19	158	155
5002-22	22	185	175
5002-24	24	197	225
5002-27	27	223	295
5002-30	30	253	385
5002-32	32	253	460
5002-34	34	270	545

Wrenches/Stainless Steel Tools


5002-36	36	290	625
5002-41	41	315	840
5002-46	46	325	1205
5002-50	50	340	1450
5002-55	55	360	1950
5002-60	60	380	2260
5002-65	65	415	2750
5002-70	70	425	3260
5002-75	75	440	3325
5002-80	80	465	4375
5002-85	85	486	4905

Open Slogging Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21011*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	mm	mm	g
5003-17	17	125	155
5003-19	19	132	160
5003-22	22	165	210
5003-24	24	165	245
5003-27	27	178	350
5003-30	30	189	455
5003-32	32	189	565

Wrenches/Stainless Steel Tools


5003-34	34	200	685
5003-36	36	205	765
5003-41	41	225	1050
5003-46	46	235	1275
5003-50	50	245	1660
5003-55	55	268	1890
5003-60	60	274	2250
5003-65	65	298	3165
5003-70	70	320	4125
5003-75	75	326	4285

Ring Slogging Wrenches

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH21012*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	mm	mm	g
5001-17	17	125	210
5001-19	19	132	225
5001-22	22	165	255
5001-24	24	165	260
5001-27	27	178	395

Wrenches/Stainless Steel Tools

5001-30	30	189	500
5001-32	32	189	505
5001-34	34	200	550
5001-36	36	205	635
5001-41	41	225	780
5001-46	46	235	1050
5001-50	50	245	1205
5001-55	55	268	1565
5001-60	60	274	1705
5001-65	65	298	2015
5001-70	70	320	2545
5001-75	75	326	3210
5001-80	80	350	3785
5001-85	85	355	4550
5001-90	90	380	5505
5001-95	95	390	5890
5001-100	100	410	7005
5001-105	105	420	7450
5001-110	110	445	10025
5001-115	115	480	11500
5001-120	120	510	13050


Testing Hammers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH22001

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	H mm	L mm	W g
5054-001	150	280	250
5054-002	250	320	350
5054-003	500	365	700


Testing Hammers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH22002

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	P	L	W
		mm	g
5049-001	1	350	450
5049-002	2	400	900
5049-003	3	400	1350
5049-004	4	450	1800
5049-005	5	450	2300
5049-006	6	900	2700
5049-007	8	900	3600
5049-008	10	900	4500
5049-009	12	900	5400
5049-010	14	900	6300
5049-011	16	900	7200
5049-012	18	900	8100

Engineer's Cross Pein Hammers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH22003

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	H	L	W
	g	mm	g
5053-001	500	290	680
5053-002	1000	340	1150
5053-003	1500	390	1750
5053-004	2000	450	2455
5053-005	3000	700	3700
5053-006	5000	900	6000


Welder's Hammers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH22004

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	H	H	L	W
	g	mm	mm	g
5052-001	300	210	345	450


Ball Pein Hammers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH22005


- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	H	L	W
	g	mm	g
5051-001	230	300	400
5051-002	340	300	500
5051-003	440	300	680
5051-004	680	300	950
5051-005	910	350	1200
5051-006	1130	350	1470
5051-007	1350	400	1690


Phillips Screwdrivers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH23001

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	L1	L1	L	Φ	W
	inch	mm	mm	mm	g
5062-2	2	50	134	3	30
5062-3	3	75	159	4	65
5062-4	4	100	205	5	70
5062-5	5	125	240	6	100
5062-6	6	150	265	6	110
5062-8	8	200	327	8	160
5062-10	10	250	377	8	175
5062-12	12	300	427	9	240
5062-14	14	350	477	9	265
5062-16	16	400	550	9	290
5062-18	18	450	600	9	315

Slotted Screwdrivers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH23002

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	L1	L1	L	Φ	W
	inch	mm	mm	mm	g
5061-2	2	50	134	3	30
5061-3	3	75	159	4	65
5061-4	4	100	205	5	70
5061-5	5	125	240	6	100
5061-6	6	150	265	6	110
5061-8	8	200	327	8	160
5061-10	10	250	377	8	175
5061-12	12	300	427	9	240
5061-14	14	350	477	9	265
5061-16	16	400	550	9	290
5061-18	18	450	600	9	315

Slotted Screwdrivers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

*GH23003*

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OE



Number	B	L1	L	W
	mm	mm	mm	g
5063-001	3	50	108	25
5063-002	3	75	133	30
5063-003	4	75	153	35
5063-004	5	75	153	65
5063-005	4	100	184	75
5063-006	5	100	184	80
5063-007	6	100	184	105
5063-008	6	125	218	125
5063-009	7	150	243	140
5063-010	8	200	305	240
5063-011	9	250	355	290
5063-012	10	300	420	420
5063-013	11	350	470	500


Diagonal Cutting Pliers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH24001


- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	L mm	W g
5046-001	150	208


Lineman Pliers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH24002


- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	L	W
	mm	g
5044-200	200	330


Long Nose Pliers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH24003

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM




Number	L	W
	mm	g
5045-150	150	165

Adjustable Combination Pliers

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

**GH24004**

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	L	W
	mm	g
5047-150	200	230


Heavy Duty Sockets

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH25001

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S mm	L mm	W g
5027-17	17	50	246
5027-19	19	50	246
5027-22	22	55	268
5027-24	24	55	307
5027-27	27	55	312
5027-30	30	60	410
5027-32	32	60	465
5027-34	34	60	480
5027-36	36	60	510
5027-41	41	65	660
5027-46	46	65	765
5027-50	50	70	910
5027-55	55	80	1456
5027-60	60	85	1752
5027-65	65	95	1985


Universal Joint

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH25002

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	C	L	W
	inch	mm	g
5029-001	1/2	85	175
5029-002	3/4	110	610
5029-003	1	125	1330


Sockets

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH25003

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	S	L	W
	mm	mm	g
5026-17	17	50	246
5026-19	19	50	246
5026-22	22	55	268
5026-24	24	55	307
5026-27	27	55	312
5026-30	30	60	410
5026-32	32	60	465


Screwdriver Sockets

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH25004

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM



Number	C	L	H	B	W
	inch	mm	mm	mm	g
5030-001	1/2	52	2	13	65

Combination Wrench

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH26001

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM

Number	S mm	W g
5016-001	8/10/12/14/17/19/22/24/27	1496

Double Box offset Wrench

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH26002

- ✓ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM

Number	S1*S2	W
	mm	g
5009	5.5*7,6*7,8*10,9*11,10*12,12*14, 14*17,17*19,19*22,22*24,24*27,27*30,30*32	2780

Sockets Set

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH26003

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OE

Number	S
	mm
5001	Socket: 8mm,9mm,10mm,11mm,12mm,13mm,14mm,15mm, 16mm,17mm,18mm,19mm,20mm,21mm,22mm,23mm, 24mm,26mm,27mm,28mm,30mm,32mm SparkPlug:13/16" RatchetWrench:245mm SlidingT-handle:250mm SpeedHandle:400mm DriverExtension:125mm,250mm UniversalJoint:80mm ScrewdriverSocket:52mm Offset Handle 230mm

Double Open End Wrench

- Material: Stainless Steel
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH26004

- ✓ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✓ Development Mode: The Customer acknowledges drawings
- ✓ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✓ Customize: ODM/OEM

Number	S	W
	mm	g
5012	8*10,10*12,12*14,14*17,9*11,27*30,17*19,19*22,22*24,24*27,30*32	2550