



LAJVAR

در خدمت ترقی کشور

LAJVAR Industrial Co.

Manufacturer of Hydraulic Aerial Platforms & Truck Mounted Cranes

**Line Truck
Model LT 80**

www.lajvar.ir

info@lajvar.ir

Tehran Office:

Molla Sadra St. , Tehran, Iran

Tel: +98 21 88055808-10

Cell: +98 918 161 3009

Head Office:

7 th Km. of Tehran Road. ARAK - IRAN

P.O.BOX: 38135/659


Tel: +98 86 3413 1111

Fax: +98 86 3413 1110




Technical specifications are subject to change without prior notice.

Transport Dimensions




LAJVAR

Digging Radius



ارتفاع باربرداری (m)



Working Diagram



LAJVAR

Digger Derricks LT 80

Technical Specifications

Equipped with liner inside the basket
Control panel beside the basket
Control panel beside the turret
Equipped with pressure control system and load sensing device
Equipped with auxillary hydraulic system for operating hydraulic devices inside the basket
Equipped with auxillary hydraulic system for operating hydraulic devices beside the chassis
Equipped with fiberglass basket for operating in hot lines 46 Kv
Level Bubble
Lighting system

Min. Truck	G.V.W=18 ton
slewing angle	360° continues
Boom angle	100° (-20° up to +80°)
Telescopic booms are extendable separately	
lifting capacity at 3 m working radius	8000 kg
Max working height of the operator inside the basket	17.5 m
Equipped with 4 hydraulic stabilizers	
Designed and manufactured according to ANSI A 10.31-2006	
Possibility of installing auger	
Equipped with tiltable pole guide	
Equipped with fiberglass basket with 100 kg capacity	

Digger Derricks LT 80

Technical Specifications

➤ Accessories

- 1.Remote control system
2. A2B system
- 3.Wire rope or insulated rope for winch
- 4.2 pendulum basket beside the boom
- 5.Third boom made of metal or fiberglass
- 6.700 bar booster inside the basket
- 7.Tools kit beside the chassis
- 8.Stabilizer pads
- 9.Fifth gear
- 10.Auger with various diameters