




Geng He Tools

to be the most reliable supplier



GENGHE.

Tools with a heritage of quality!

Geng He™ industrial manufactures Non-sparking tools, Stainless steel tools, Titanium tools, special tools and so on quality steel hand tools, trusted by customers ranging from domestic and overseas. For 40 years, we've created safety tools that increase productivity, day in, day out, delivering repeatable quality results.

At Geng He industrial, we build our R&D center to handle maximum capacities with ease, the products of our company from the technical strength to the brand effect has reached the industry advanced level. All our products have passed ISO9001, ISO14001, OHSAS18001 and UKAS Certificate, and all of which are produced in strict accordance with State Standard and have met with various technical norms through irregular random sampling inspection by the State Hardware Inspection Departments.



Geng he tool's facility in

Zhengzhou ,China



What sets Geng He Industrial apart from other brands?

☆ **Initiative spirit**

Our R&D team won the national standards GB/T23163-2008 and GB24459-2009 which means that the products of our company from the technical strength to the brand effect has reached the industry advanced level.

☆ **Quality parts and materials**

We use only the best materials, like Bao Gang ®and Shou Gang® Group inverters, to produce tools that you can depend on.

☆ **Knowledgeable service team**

Geng He support representatives all have years of hands-on experience working with our products—figuring out solutions for applications like yours. When you call us, you'll talk to real technical specialists, not sales reps reading answers from a script!



Contents

•Titanium Tools

(Titanium Alloy)

Wrenches

P1~13



Wrenches

Screwdrivers

P14~16



Screwdrivers

Pliers

P17~21



Pliers

Sockets

P 22~24



Sockets

•Special Tools

(Carbon Steel / CR-V)

Slogging Spanners

P 25~46



Slogging Spanners



Ratchet Spanners

P 47~52



Ratchet Spanners

Scaffold Spanners

P 53~54



Scaffold Spanners

Sockets

P55~61



Sockets

Tool Lanyard

P 62~63



Tool Lanyard

Adjustable Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31001

- ✧ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

- Used in Aerospace, Aviation, Military, Hospitals, etc.
- Lightweight, Non-magnetic, Strong and Durable.
- It is suitable for different sizes of fasteners by adjusting the opening size.

Number	L mm	Kmax mm	W g
5101-1002	150	18	80
5101-1004	200	24	170
5101-1006	250	30	260
5101-1008	300	36	435

Pipe Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

- Used in Aerospace, Aviation, Military, Hospitals, etc.
- Used for turning or assembling pipes and fittings.

Number	L mm	K max mm	W g
5102-1002	200	25	310
5102-1004	250	30	520
5102-1006	300	40	790
5102-1008	350	50	950

Combination Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	w g
5103-6	6	105	13
5103-8	8	120	20
5103-10	10	135	30
5103-12	12	150	40
5103-14	14	175	55
5103-17	17	195	90
5103-19	19	215	125
5103-22	22	245	170
5103-24	24	265	200
5103-27	27	290	280
5103-30	30	320	400
5103-32	32	340	480

Construction Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31004

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	w g
5104-17	17	220	60
5104-19	19	240	80
5104-22	22	260	120
5104-24	24	280	145
5104-27	27	300	200
5104-30	30	320	235

Striking Open Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31005

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5106-17	17	25	85
5106-19	19	125	80
5106-22	22	135	95
5106-24	24	150	135
5106-27	27	175	230
5106-30	30	190	260
5106-32	32	190	260
5106-36	36	200	370

Double Open End Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31006

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5107-1002	6*7	120	13
5107-1004	7*9	135	20
5107-1006	8*10	145	25
5107-1008	10*12	165	40
5107-1010	12*14	180	55
5107-1012	14*17	195	70
5107-1014	17*19	210	95
5107-1016	19*22	225	130
5107-1018	22*24	250	170
5107-1020	24*27	250	230
5107-1022	27*30	270	310
5107-1024	30*32	310	430

Double Box Offset Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31007

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S1*S2 mm	L mm	W g
5108-1002	8*10	190	40
5108-1004	10*12	200	48
5108-1006	12*14	220	58
5108-1008	14*17	255	85
5108-1010	17*19	280	100
5108-1012	19*22	300	115
5108-1014	22*24	330	232
5108-1016	24*27	340	260
5108-1018	27*30	350	290
5108-1020	30*32	370	377

Construction Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31008

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5110-8	8	210	65
5110-10	10	230	70
5110-12	12	250	88
5110-14	14	270	105
5110-17	17	310	135
5110-19	19	330	165
5110-22	22	350	185
5110-24	24	370	260
5110-27	27	400	320
5110-30	30	430	380
5110-32	32	430	370
5110-36	36	460	525

Torque Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31009

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size inch	L mm	W g
5404-1002	3/8	355	550

L -Sockets Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31010

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	H mm	W g
5508-6	6	120	29	55
5308-8	8	145	33	85
5308-10	10	168	37	110
5308-12	12	215	42	120
5308-14	14	245	45	165
5308-17	17	260	51	270
5308-19	19	270	55	310

T-Hex Key Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS




GH31011

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	H mm	W g
5116-8	8	150	100	140
5116-10	10	150	110	150
5116-12	12	170	130	160
5116-14	14	170	140	220
5116-17	17	190	150	255
5116-19	19	220	160	340

Offset Slogging Box Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31012

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5113-19	19	220	400
5113-22	22	240	522
5113-24	24	240	522
5113-27	27	270	695
5113-30	30	280	815
5113-32	32	290	928

Striking Ring Wrenches

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH31013

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5112-17	17	145	85
5112-19	19	145	80
5112-22	22	165	135
5112-24	24	165	130
5112-27	27	175	175
5112-30	30	185	255
5112-32	32	185	245
5112-36	36	205	315

Slotted Screwdrivers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH32001

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	H mm	B mm	L mm	W g
5501-1002	0.4	3	50	30
5501-1004	0.5	4	75	40
5501-1006	0.6	5	100	53
5501-1008	0.8	6	150	85
5501-1010	1.2	8	200	135

Phillips Screwdrivers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH32002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	size	Φ mm	L mm	W g
5502-1002	0	3	50	30
5502-1004	1	4	75	40
5502-1006	1	5	100	53
5502-1008	2	6	150	85
5502-1010	3	8	200	135

Slotted Screwdrivers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH32003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	H mm	B mm	L mm	W g
5503-1002	0.4	3	50	30
5503-1004	0.5	4	75	40
5503-1006	0.8	6	100	75
5503-1008	1.2	8	150	125
5503-1010	1.8	10	200	160

Adjustable Combination Pliers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH33001

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	L mm	K mm	W g
5201-1002	150	8	25
5201-1004	200	13	180
5201-1006	250	16	280

Lineman Pliers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH33002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	L mm	W g
5202-1002	150	220
5202-1004	200	290

Diagonal Cutting Pliers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH33003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	L mm	W g
5203-1002	150	180
5203-1004	200	260

Long Nose Pliers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH33004

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	L mm	W g
5204-1002	150	120
5204-1004	200	200

Groove Joint Pliers

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH33005

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	L mm	K mm	W g
5205-1002	150	16	80
5205-1004	200	25	120
5205-1006	250	45	270

1/2" Sockets

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH34001

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S mm	L mm	W g
5301-6	6	40	46
5301-8	8	40	47
5301-10	10	40	48
5301-12	12	40	50
5301-14	14	40	52
5301-17	17	40	55
5301-19	19	42	60
5301-22	22	43	65

Universal Joint

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH34002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	C inch	L mm	W g
5303-1002	1/2	80	115
5303-1004	3/4	110	300

Driver Extension

- Material: Titanium alloy
- Technique: Casting/forging
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH34003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	C inch	L mm	W g
5307-1002	3/8	75	55
5307-1004	1/2	125	145
5307-1006	1/2	250	290
5307-1008	3/4	200	520

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Offset Slogging Box Spanner



GH41001

Number	Size mm	L mm	W g
3317-24	24	160	350
3317-27	27	180	450
3317-30	30	200	580
3317-32	32	200	560
3317-36	36	220	780
3317-41	41	240	900
3317-46	46	250	1250
3317-50	50	270	1650
3317-55	55	295	2150
3317-60	60	317	2300
3317-65	65	330	2600
3317-70	70	350	3200
3317-75	75	370	4400
3317-80	80	385	4750
3317-90	90	420	6800
3317-100	100	435	7750
3317-110	110	455	9200
3317-120	120	485	10500
3317-130	130	520	12000

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying

Extension Ring Wrenches



- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

GH41002

Number	Size mm	L mm	W g
3316-24	24	180	450
3316-27	27	190	500
3316-30	30	200	550
3316-32	32	235	750
3316-36	36	245	850
3316-41	41	265	1000
3316-46	46	280	1400
3316-50	50	290	1600
3316-55	55	300	1750
3316-60	60	345	2800
3316-65	65	355	3200
3316-70	70	365	3700
3316-75	75	375	4100
3316-80	80	385	4900

Double Flat Box Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying



- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

GH41003

Number	Size mm	L mm	W g
3315-1719	17*19	185	125
3315-1922	19*22	200	170
3315-2224	22*24	220	225
3315-2427	24*27	255	300
3315-2430	24*30	270	355
3315-2528	25*28	265	360
3315-2730	27*30	280	405
3315-3032	30*32	295	470
3315-3034	30*34	310	555
3315-3236	32*36	330	620
3315-3436	34*36	345	715
3315-3641	36*41	365	880

Double Box Offset Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying



- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton + Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

GH41004

Number	Size mm	L mm	W g
3314-1002	17*19	280	170
3314-1004	19*22	300	200
3314-1006	19*24	320	300
3314-1008	21*23	320	350
3314-1010	22*24	330	400
3314-1012	24*27	340	450
3314-1014	27*30	350	500
3314-1016	30*32	370	650
3314-1018	32*36	430	950
3314-1020	36*41	470	1200
3314-1022	41*46	500	1500
3314-1024	46*50	525	1800
3314-1026	50*55	550	2700
3314-1028	55*60	575	3000
3314-1030	60*65	600	3600
3314-1032	65*70	625	3900
3314-1034	70*75	650	4300
3314-1036	75*80	675	4800

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Striking Convey Box Wrenches



GH41005

Number	Size mm	L mm	W g
3313-27	27	175	350
3313-30	30	185	500
3313-32	32	185	450
3313-36	36	210	700
3313-41	41	227	900
3313-46	46	245	1200
3313-50	50	257	1500
3313-55	55	267	1700
3313-60	60	278	2000
3313-65	65	298	2200
3313-70	70	320	2800
3313-75	75	326	3000

Construction Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying



- Certificate: ISO9001/UKAS

GH41006

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3312-17	17	310	190
3312-19	19	330	215
3312-22	22	350	275
3312-24	24	370	340
3312-27	27	400	425
3312-30	30	430	600
3312-32	32	430	580
3312-36	36	460	825
3312-41	41	490	1070
3312-46	46	520	1450
3312-50	50	540	1780
3312-55	55	560	2100
3312-60	60	610	2500
3312-65	65	630	2700
3312-70	70	650	3200
3312-75	75	670	3460
3312-80	80	690	4000
3312-85	85	690	3850
3312-90	90	710	5000
3312-95	95	710	4800
3312-100	100	730	5800
3312-110	110	750	7200

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying

Single End Box Wrenches



- Certificate: ISO9001/UKAS
- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

GH41007

Number	Size mm	L mm	W g
3311-22	22	190	170
3311-24	24	215	210
3311-27	27	230	265
3311-30	30	255	370
3311-32	32	265	400
3311-36	36	295	520
3311-41	41	330	780
3311-46	46	365	1050
3311-50	50	400	1200
3311-55	55	445	1500
3311-60	60	474	1750
3311-65	65	510	1950
3311-70	70	555	3050
3311-75	75	590	3085
3311-80	80	620	4200
3311-85	85	665	4800
3311-90	90	700	5400
3311-100	100	740	6100

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Ring Slogging Wrenches



GH41008

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3310-17	17	165	200
3310-19	19	165	190
3310-22	22	165	230
3310-24	24	165	220
3310-27	27	175	330
3310-30	30	185	450
3310-32	32	185	440
3310-36	36	205	550
3310-41	41	225	710
3310-46	46	235	900
3310-50	50	250	1200
3310-55	55	265	1360
3310-60	60	274	1500
3310-65	65	298	1900
3310-70	70	320	2300
3310-75	75	326	2850
3310-80	80	350	3400

Slogging Spanner/Special Tools

3310-85	85	355	4100
3310-90	90	390	5200
3310-100	100	420	6700
3310-110	110	450	8640
3310-120	120	480	10400
3310-130	130	510	11900
3310-140	140	520	12280
3310-150	150	565	13650
3310-160	160	585	15800

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Ring Bent Slogging Wrenches



GH41009

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3309-22	22	140	220
3309-24	24	160	280
3309-27	27	175	350
3309-30	30	190	500
3309-32	32	190	450
3309-36	36	210	600
3309-41	41	225	850
3309-46	46	240	1100
3309-50	50	255	1300
3309-55	55	270	1500
3309-60	60	285	2000
3309-65	65	300	2500
3309-70	70	320	2800
3309-75	75	330	3200

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Ring Single Bent Wrenches



GH41010

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3307-10	10	119	55
3307-12	12	151	82
3307-14	14	151	90
3307-17	17	174	150
3307-19	19	207	215
3307-22	22	207	215
3307-24	24	250	330
3307-27	27	250	330
3307-30	30	295	520
3307-32	32	295	550
3307-36	36	307	600
3307-41	41	340	780
3307-46	46	370	1050
3307-50	50	400	1580
3307-55	55	430	2130
3307-60	60	450	2430
3307-65	65	470	2520
3307-70	70	490	3480
3307-75	75	510	3800
3307-80	80	5300	4200

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Combination Wrenches



GH41011

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3306-22	22	245	235
3306-24	24	265	250
3306-27	27	290	400
3306-30	30	320	520
3306-32	32	340	640
3306-36	36	360	550
3306-41	41	430	1360
3306-46	46	480	1810
3306-50	50	520	2020
3306-55	55	560	2580
3306-60	60	595	3100
3306-65	65	595	3400
3306-70	70	630	4200
3306-75	75	630	4000
3306-80	80	660	5400
3306-85	85	660	5200
3306-90	90	720	7100

Slogging Spanner/Special Tools

3306-95	95	720	6800
3306-100	100	780	8400
3306-105	105	780	8100
3306-110	110	840	9800
3306-115	115	840	9500
3306-120	120	900	12100
3306-125	125	900	11800

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Construction Wrenches with Pin



GH41012

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3305-17	17	320	205
3305-19	19	350	300
3305-22	22	350	410
3305-24	24	370	450
3305-27	27	370	610
3305-30	30	400	755
3305-32	32	400	755
3305-36	36	430	900
3305-41	41	470	1205
3305-46	46	500	1515
3305-50	50	530	1780
3305-55	55	560	2045

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Open Slogging Bent Wrenches



GH41013

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3304A-19	19	140	140
3304A-22	22	150	170
3304A-24	24	150	200
3304A-27	27	175	400
3304A-32	32	190	550
3304A-36	36	210	750
3304A-41	41	230	1100
3304A-46	46	250	1250
3304A-50	50	275	1700
3304A-55	55	305	2300
3304A-60	60	315	2800
3304A-65	65	335	3600
3304A-70	70	370	4400
3304A-75	75	375	4700
3304A-80	80	400	6100

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Open Slogging Wrenches



GH41014

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3304-22	22	135	190
3304-24	24	150	230
3304-27	27	175	390
3304-30	30	190	500
3304-32	32	190	540
3304-36	36	210	700
3304-38	38	220	820
3304-41	41	230	900
3304-46	46	250	1200
3304-50	50	275	1400
3304-55	55	305	1800
3304-60	60	315	2110
3304-65	65	335	2850
3304-70	70	370	3550
3304-75	75	375	4000
3304-80	80	400	5500
3304-85	85	400	5200

3304-90	90	445	7000
3304-100	100	485	10500
3304-110	110	512	13200
3304-120	120	530	17200
3304-130	130	560	18500
3304-140	140	630	24000
3304-150	150	630	23800

Number	Size inch	L mm	W g
3304-1002	7/8	135	190
3304-1004	15/16	150	230
3304-1006	1	175	390
3304-1008	1-1/8	190	500
3304-1010	1-1/4	190	540
3304-1012	1-7/16	210	700
3304-1014	1-1/2	220	820
3304-1016	1-5/8	230	900
3304-1018	1-3/4	250	1200
3304-1020	2	275	1400
3304-1022	2-1/8	305	1800
3304-1024	2-3/8	315	2110
3304-1026	2-1/2	335	2850
3304-1028	2-3/4	370	3550
3304-1030	3	375	4000
3304-1032	3-1/8	400	5500
3304-1036	3-1/2	445	7000
3304-1038	4	485	10500

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Double Open End Wrenches



GH41015

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3303-1002	14*17	160	80
3303-1004	17*19	180	110
3303-1006	19*22	200	150
3303-1008	19*24	220	170
3303-1010	22*24	230	230
3303-1012	24*27	255	320
3303-1014	27*30	280	400
3303-1016	30*32	300	500
3303-1018	32*36	320	600
3303-1020	34*36	330	700
3303-1022	36*41	350	850
3303-1024	41*46	380	1000
3303-1026	46*50	420	1250
3303-1028	50*55	460	1800
3303-1030	55*60	500	2650
3303-1032	60*65	540	2700
3303-1034	65*70	580	3450
3303-1036	70*75	620	3900
3303-1038	75*80	660	4620

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Giant Adjustable Wrenches



GH41016

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3319-1002	1-3/8--2-7/8	24	4450
3319-1004	2-3/4--4-3/4	36	13000

Adjustable Hook Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH41017

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3321A-1002	19-50	162	110
3321A-1004	32-75	205	225
3321A-1006	50-120	288	450
3321A-1008	115-170	310	580

Hex Key Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH41018

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3325-22	22	187	1000
3325-24	24	192	1400
3325-27	27	213	1770
3325-30	30	255	2500
3325-32	32	286	3120
3325-36	36	328	4000
3325-38	38	380	4700
3325-41	41	380	5700
3325-46	46	413	7000
3325-50	50	445	9550
3325-55	55	457	11200
3325-60	60	470	14050
3325-65	65	482	15300
3325-70	70	495	16700

Valve Handle Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH41019

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	W g
3326-1002	45*350	510
3326-1004	50*400	800
3326-1006	55*450	940
3326-1008	60*500	1170
3326-1010	65*550	1300
3326-1012	70*600	1470
3326-1014	75*650	1560
3326-1016	80*700	1600
3326-1018	85*750	2250
3326-1020	90*800	2430
3326-1022	93*850	2530
3326-1024	96*900	2600
3326-1026	100*950	2800
3326-1028	103*1000	2900
3326-1030	106*1200	5400


- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Double End Ratchet Wrenches



GH42001

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM



Number	S	L	B	C	W
	mm	mm	mm	mm	g
4200-001	10*12	245	32	38	270
4200-002	12*14	245	32	38	260
4200-003	14*17	280	36	45	350
4200-004	16*18	315	42	50	510
4200-005	17*19	315	42	50	520
4200-006	17*21	315	42	50	520
4200-007	18*21	315	42	50	520
4200-008	19*21	315	42	50	500
4200-009	19*22	315	42	50	490

4200-010	19*24	365	52	55	770
4200-011	22*24	365	52	55	780
4200-012	24*27	365	52	55	760
4200-013	27*30	405	60	62	1080
4200-014	30*32	405	60	62	1050
4200-015	32*36	455	73	68	1580
4200-016	36*41	505	83	74	2380
4200-017	41*46	505	83	90	2470

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Flexible Ratchet Wrenches



GH42002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S
	mm
4202-001	8
4202-002	9
4202-003	10
4202-004	11
4202-005	12
4202-006	13
4202-007	14
4202-008	15
4202-009	16
4202-010	17
4202-011	18
4202-012	19
4202-013	21
4202-014	22
4202-015	24

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Double End Ratchet Wrenches



GH42003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S
	mm
4203-001	10*12
4203-002	11*13
4203-003	12*14
4203-004	13*14
4203-005	12*16
4203-006	14*17
4203-007	17*19
4203-008	17*21
4203-009	19*21
4203-010	19*22
4203-011	19*24
4203-012	21*24

4203-013	22*24
4203-014	24*27
4203-015	24*40
4203-016	24*32
4203-017	30*32
4203-018	32*36
4203-019	36*41
4203-020	41*46

Plastic Handle Ratchet Wrenches

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH42004

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	S
	mm
4204-001	10*12
4204-002	17*19
4204-003	19*21
4204-004	19*22
4204-005	21*22

➤ Material:

Handle: 45#Carbon Steel;

Head: CR-V/ Stainless Steel

➤ Technique: Chemical black,

Chrome plating, Satin plating,

Black nickel.....etc

➤ Face treatment: Electrostatic spraying

➤ Certificate: ISO9001/UKAS

Flexible Wrenches



GH43001

✧ Packing: Strong carton +Wooden pallet or according to customers requirements.

✧ Development Mode: The Customer acknowledges drawings.

✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.

✧ Customize: ODM/OEM

Number	S	W
	mm	g
4303-001	17	0.58
4303-002	19	0.58
4303-003	21	0.58
4303-004	24	0.58

Scaffold Spanners

➤ Material:

Handle: 45#Carbon Steel;

Head: CR-V/ Stainless Steel

➤ Technique: Chemical black,

Chrome plating, Satin plating,

Black nickel.....etc

➤ Face treatment: Electrostatic spraying

➤ Certificate: ISO9001/UKAS



GH43002

✧ Packing: Strong carton +Wooden pallet or according to customers requirements.

✧ Development Mode: The Customer acknowledges drawings.

✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.

✧ Customize: ODM/OEM

Item Name	scaffolding socket spanner /wrench
Materials	handle :45# carbon steel ,head :CR-V /stainless steel
size	7/16,21mm .24mm ,27mm,30mm,32mm, or customized
Surface Finish	Mirror polished, Chrome-plating ,Black phosphate ,Bright plating ,Pearl nickel
Hardness	40-60HRC
Certificate	ISO9001/SGS

1" Dr Sockets

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH44001

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3332-24	24	55	360
3332-27	27	55	380
3332-30	30	60	430
3332-32	32	60	460
3332-36	36	65	525
3332-41	41	70	655
3332-46	46	70	780
3332-50	50	75	890
3332-55	55	80	1050
3332-60	60	85	1320
3332-65	65	90	1475
3332-70	70	90	1625
3332-75	75	95	2155
3332-80	80	95	2390

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Sliding T handle



GH44002

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3331-1002	3/4	400	1280
3331-1004	1	400	1650

Driver Extension

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS



GH44003

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3333-1002	3/4	200	910
3333-1004	1	200	1480

- Material: Carbon Steel/CRV
- Technique: Chemical black, Chrome plating, Satin plating, Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Impact Sockets



GH44004

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection, Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size mm	L mm	W g
3336-32	32	75	1860
3336-36	36	80	2200
3336-41	41	80	2150
3336-46	46	85	2290
3336-50	50	85	2380
3336-55	55	90	2480
3336-60	60	90	2640
3336-65	65	95	3060
3336-70	70	95	3200
3336-75	75	100	3625
3336-80	80	100	3980
3336-85	85	110	4400
3336-90	90	110	4700
3336-95	95	110	5500
3336-100	100	115	5820
3336-105	105	115	6400
3336-110	110	115	6540

Sockets/Special Tools

3336-115	115	125	10380
3336-120	120	125	11020
3336-125	125	130	11970
3336-130	130	135	13575
3336-135	135	140	14750
3336-140	140	140	15600
3336-145	145	145	13800
3336-150	150	150	19500

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Universal Joint



GH44005

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Size inch	L mm	W g
3340-1002	3/4	110	600
3340-1004	1	125	1300
3340-1006	1-1/2	235	5000
3340-1008	2-1/2	333	18000

- Material: Carbon Steel/CRV
- Technique: Chemical black,
Chrome plating, Satin plating,
Black nickel.....etc
- Face treatment: Electrostatic spraying
- Certificate: ISO9001/UKAS

Adaptor**GH44006**

- ✧ Packing: Strong carton +Wooden pallet or according to customers requirements.
- ✧ Development Mode: The Customer acknowledges drawings.
- ✧ Advantage: Dimension inspection, Tension inspection, Surface inspection,
Chemical inspection and etc.
- ✧ Customize: ODM/OEM

Number	Big Size inch	Small Size inch	L mm	W g
3341-1002	3/4	1/2	55	275
3341-1004	1/2	3/4	50	160
3341-1006	1	3/4	70	810
3341-1008	3/4	1	60	340
3341-1010	1-1/2	1	85	1585
3341-1012	1	1-1/2	85	1165

- Material of Inner: Stainless Steel
- Coating: PVC,PU
- End parts of fittings: a large selection of end fittings, including eye bolts, links, springs, hooks, thimble, clips, stops, ball, ball shanks ,sleeve ,stamped eye, handles, etc

Application: Lighting , Machinery, Medical, Security, Sporting Goods, Toys, Window , Lawn & Garden Etc.

Tool Lanyards



GH45001

- ✧ When designing a cable assembly, a number of factors need to be considered such as, work load, abrasion, cycle life, and flexibility, environment, cost, safety .etc. the larger the diameter ,the greater the work load capacity and the less flexible it will be.
- ✧ **WARNING** :Breaking strength should never be considered the rope's working load ,safety factor 5:1 ,Coating must be removed from installation area when attaching fittings

Coil Length	60mm,etc	Custom made available
Construction of steel	1*7,7*7, 7*19,etc	
Material of inner	Stainless steel, Stainless steel	
Type	Anti-lost plastic coated tool tethered lanyards	
Coating	PVC,PU	
End parts of fittings	a large selection of end fittings, including eye bolts, links, springs, hooks, thimble, clips, stops, ball ,ball shanks ,sleeve ,stamped eye, handles, etc	

- Material of Inner: Stainless Steel
 - Coating: PVC,PU
 - End parts of fittings: a large selection of end fittings, including eye bolts, links, springs, hooks, thimble, clips, stops, ball, ball shanks ,sleeve ,stamped eye, handles, etc
- Application: Lighting , Machinery, Medical, Security, Sporting Goods, Toys, Window , Lawn & Garden Etc.

Tool Lanyards



GH45002

- ✧ When designing a cable assembly, a number of factors need to be considered such as, work load, abrasion, cycle life, and flexibility, environment, cost, safety .etc. the larger the diameter ,the greater the work load capacity and the less flexible it will be.
- ✧ **WARNING** :Breaking strength should never be considered the rope's working load ,safety factor 5:1 ,Coating must be removed from installation area when attaching fittings

Size: Dia.82 x Thickness 30MM
Material: ABS +Metal
Color: black or white or per requirement
Cable Length: 1.25M
Testing standard: attach 10KG object in 5M height do freefall testing, do 5 times, if each time no broken, that's pass the test.
Destructive testing : attach 15kg object in 5M height do free-fall testing, 2 times no broken, that is pass the test
Accessory : metal swivel